



Mounting systems for solar technology



K2 SYSTEMS  
**SLOPED ROOF SYSTEMS**  
**STAINLESS STEEL ROOF FASTENER SYSTEM**

## STAINLESS STEEL ROOF FASTENER SYSTEM

- K2 roof fasteners for pan tiled roofs
- Geometry optimised for K2 system components
- Excellent resistance to corrosion due to the use of stainless steel
- Highly flexible due to adjustment of height under bracket (depending on type), roof fastener for almost any application
- Short assembly time thanks to simple system components
- Modular structure suitable for any system size
- Can also be installed in cross bracing (e.g. with K2 CrossRail)



Elpo | Pfunders - Germany  
System: 484,65 kW | Vario 2 roof fastener with cross bracing

### Technical data

Field of application	Sloped roof
Roofing	Pan tiled roofs
PV modules	Suitable for all standard module types
Module orientation	Vertical / horizontal (with cross bracing)
Material	Aluminium (EN AW-6063 T66)
Connecting elements	Stainless steel A2-70
Roof connection	Screw connection
Static principles	Determination of load capacity values by independent testing institutes; load assumption in accordance with DIN 1055/ Eurocode 1
System components	K2 stainless steel roof fasteners, T-bolts, K2 SolidRail range, rail connectors, middle and end clamp sets, M K2



Elpo | Ehrenburg - Germany  
System: 5,04 kW | Roof fastener system

SERVICE-HOTLINE  
**+49 (0)7152 3560-0**  
[www.k2-systems.com](http://www.k2-systems.com)

Product Sheet Roof Fastener | GB1 | 0312 | Subject to change  
Product illustrations are exemplary illustrations and may differ from the original.

